

## ZM5.WALL WALL/PANEL MOUNT BRACKET

### WALL / PANEL MOUNT BRACKET

- Rugged Metal Bracket
- Suitable for Specific DIMENSION Units

### **1. GENERAL DESCRIPTION**

The ZM5.WALL enables proven devices, such as power supplies or redundancy modules of the DIMENSION family, to be mounted on a wall or on a panel without using a DIN-Rail.

### 2. SHORT-FORM DATA

Size (WxHxD)	50x150x37mm	WxHxD
Weight	110g / 0.24lb	

### INDEX

- Page
  1. General Description ......1
- 2. Short-form Data .....1
- 3. Order Number .....1

#### Page

- 5. Physical Dimensions and Weight......3

The information given in this document is correct to the best of our knowledge and experience at the time of publication. If not expressly agreed otherwise, this information does not represent a warranty in the legal sense of the word. As the state of our knowledge and experience is constantly changing, the information in this data sheet is subject to revision. We therefore kindly ask you to always use the latest issue of this document (available under www.pulspower.com).

No part of this document may be reproduced or utilized in any form without our prior permission in writing.

### 3. Order Number

**ZM5.WALL** 

The order number consists of one brackets including two self-tapping mounting screws.

Aug. 2017 / Rev. 1.0 DS-ZM5.WALL All parameters are typical values specified at, 25°C ambient temperature unless otherwise noted.


# **PULS**

DIMENSION Z-Series

ZM5.WALL Wall/Panel Mount Bracket

### 4. MOUNTING INSTRUCTIONS

The bracket can be mounted without detaching the DIN-rail brackets.



Aug. 2017 / Rev. 1.0 DS-ZM5.WALL All parameters are typical values specified at, 25°C ambient temperature unless otherwise noted.

www.pulspower.com Phone +49 89 9278 0 Germany

# **PULS**


#### DIMENSION Z-Series

# ZM5.WALL

WALL/PANEL MOUNT BRACKET

### 5. PHYSICAL DIMENSIONS AND WEIGHT

Width	50mm / 1.97"
Height	150mm / 5.91′′
Depth	37mm / 1.46''
Weight	110g / 0.24lb
Bracket material	Zinc-plated steel







Fig. 5-3 Wall/panel mounting, front view (Picture shows the CP20.241)

50

0

DOO







Fig. 5-5 **Wall/panel mounting,** side view (Picture shows the CP20.241)



Aug. 2017 / Rev. 1.0 DS-ZM5.WALL All parameters are typical values specified at, 25°C ambient temperature unless otherwise noted.